Author Index

Amat-Guerri, F., see Bergmann, A.	271 (2001) 201
Bae, Y.C., see Yoon, D.K.	271 (2001) 183
Bencivenni, L., see Ramondo, F.	271 (2001) 293
Benderskii, V.A., E.V. Vetoshkin and H.P. Trommsdorff, Tunneling splittings in vibrational spectra of non-rigid molecules. X. Reaction path Hamiltonian as zero-order approximation	271 (2001) 165
Bergmann, A., W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat-Guerri, A. Costela, I. García-Moreno and R. Sastre, Photophysical characterization of	
pyrromethene dyes in solid matrices of acrylic copolymers	271 (2001) 201
Białkowska-Jaworska, E., see Milet, A.	271 (2001) 267
Biskupič, S., see Lukeš, V.	271 (2001) 1
Bodo, E., F.A. Gianturco, R. Martinazzo and M. Raimondi, Possible reaction paths in	
the LiH ₂ ⁺ chemistry: a computational analysis of the interaction forces Bu, Y., C. Xiahou and X. Song, The structural character of AlS ₂ species in quartet state: prediction at density functional theory and the correlated-wave	271 (2001) 309
function levels	271 (2001) 229
Caputo, R., A.V. Sukhov, N.V. Tabirian, C. Umeton and R.F. Ushakov, Mass transfer processes induced by inhomogeneous photo-polymerisation in a multicomponent	
medium	271 (2001) 323
Castaño, F., see Unamuno, I.	271 (2001) 55
Chang, Ch., A.B.C. Patzer, E. Sedlmayr, T. Steinke and D. Sülzle, A density functional	
study of small $(AlN)_x$ clusters: structures, energies, and frequencies	271 (2001) 283
Chesnut, D.B., The use of parameter ratios to characterize the formal order of chemical	
bonds	271 (2001) 9
Costela, A., see Bergmann, A.	271 (2001) 201
Dai, D., see Dai, Y.	271 (2001) 71
Dai, Y., D. Dai and Sl. Ding, Study on multiphoton processes in intense laser fields	
using the quadratic anharmonic Lie algebraic hamiltonian of diatomic molecule	271 (2001) 71
Del Zoppo, M., see Sugliani, S.	271 (2001) 127
Deleuze, M.S., see Salam, A.	271 (2001) 17
Ding, Sl., see Dai, Y.	271 (2001) 71
Diósi, L., see Wiseman, H.M.	271 (2001) 227

PII: S0301-0104(01)00471-2

Fernández, J.A., see Unamuno, I. François, JP., see Salam, A.	271 (2001) 55 271 (2001) 17
Trançois, 5. T., 500 Salain, 71.	271 (2001) 17
García-Moreno, I., see Bergmann, A.	271 (2001) 201
Gianturco, F.A., see Bodo, E.	271 (2001) 309
Gontrani, L., see Ramondo, F.	271 (2001) 293
Gratz, H., see Bergmann, A.	271 (2001) 201
Herman, M., see Mellouki, A.	271 (2001) 239
Holland, D.M.P., see Potts, A.W.	271 (2001) 337
Holzer, W., see Bergmann, A.	271 (2001) 201
Jen, A.KY., see Woodford, J.N.	271 (2001) 137
Karlsson, L., see Potts, A.W.	271 (2001) 337
Kato, T., M. Kondo, M. Tachibana, T. Yamabe and K. Yoshizawa, Vibronic	
interaction in a copper oxide cluster	271 (2001) 31
Kisiel, Z., see Milet, A.	271 (2001) 267
Kondo, M., see Kato, T.	271 (2001) 31
Landajo, C., see Unamuno, I.	271 (2001) 55
Laurinc, V., see Lukeš, V.	271 (2001) 1
Liévin, J., see Mellouki, A.	271 (2001) 239
Lokhman, V.N., D.D. Ogurok and E.A. Ryabov, Photoionization detection of CF ₂	
radicals resulting from the IR multiple-photon dissociation of CF ₂ HCl molecules in	271 (2001) 257
a molecular beam	271 (2001) 357
Longarte, A., see Unamuno, I.	271 (2001) 55
Lukeš, V., I. Vrábel, V. Laurinc and S. Biskupič, Ab initio study of the Li(2S)—	271 (2001) 1
$H_2(X^1\Sigma_g^+)$ van der Waals complex	271 (2001) 1
Mahapatra, S., see Ritschel, T.	271 (2001) 155
Makarov, V.I., Magnetic field effect on the H ₂ CS fluorescence from the first excited	
singlet state $\tilde{\mathbf{A}}^1\mathbf{A}_2$	271 (2001) 79
Makshantsev, B.I. and V.B. Makshantsev, On the photon vector potential	271 (2001) 97
Makshantsev, B.I. and V.B. Makshantsev, On scattering croasses of the photons'	
ensemble	271 (2001) 107
Makshantsev, V.B., see Makshantsev, B.I.	271 (2001) 97
Makshantsev, V.B., see Makshantsev, B.I.	271 (2001) 107
Martinazzo, R., see Bodo, E.	271 (2001) 309
Mellouki, A., J. Liévin and M. Herman, The vibrational spectrum of pyrrole (C ₄ H ₅ N)	
and furan (C ₄ H ₄ O) in the gas phase	271 (2001) 239
Milet, A., C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska	
and L. Pszczółkowski, Structure and properties of the weakly bound trimer	
(H ₂ O) ₂ HCl. Theoretical predictions and comparison with high-resolution rotational	271 (2001) 267
spectroscopy Moszynski, R., see Milet, A.	271 (2001) 267
Müller, A., see Renge, I.	271 (2001) 267 271 (2001) 191
Mutoh, H., see Ogi, Y.	271 (2001) 191
11. 11. 11. 11. 11. 11. 11. 11. 11. 11.	271 (2001) 213

Ogi, Y., A. Sakoda, H. Mutoh, H. Taki and K. Tsukiyama, Polarization properties of	
laser induced amplified spontaneous emission from NO Rydberg states	271 (2001) 215
Ogurok, D.D., see Lokhman, V.N.	271 (2001) 357
Patzer, A.B.C., see Chang, Ch.	271 (2001) 283
Penzkofer, A., see Bergmann, A.	271 (2001) 201
Pieretti, A., see Ramondo, F.	271 (2001) 293
Potts, A.W., A.B. Trofimov, J. Schirmer, D.M.P. Holland and L. Karlsson, An experimental and theoretical study of the valence shell photoelectron spectra of 2-	
bromothiophene and 3-bromothiophene	271 (2001) 337
Pszczółkowski, L., see Milet, A.	271 (2001) 267
Raimondi, M., see Bodo, E.	271 (2001) 309
Ramondo, F., A. Pieretti, L. Gontrani and L. Bencivenni, Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR study Renge, I., A. Müller and U.P. Wild, High resolution spectroscopy of a hydrocarbon	271 (2001) 293
with the triplet ground state, 2,2-dimethyl- $2H$ -dibenzo[cd,k]fluoranthene and its	271 (2001) 101
closed-shell precursor in solid matrices Ritschel, T., S. Mahapatra and L. Zülicke, Quasiclassical dynamics of proton scattering	271 (2001) 191
by $N_2(^1\Sigma_g^+)$ on an improved ab initio potential energy surface	271 (2001) 155
Ryabov, E.A., see Lokhman, V.N.	271 (2001) 357
Sadlej, J., see Milet, A.	271 (2001) 267
Sakoda, A., see Ogi, Y.	271 (2001) 215
Salam, A., M.S. Deleuze and JP. François, Ab initio and density functional theory calculation of the structure and vibrational properties of <i>n</i> -vertex <i>closo</i> -carboranes,	
n = 5, 6 and 7	271 (2001) 17
Sastre, R., see Bergmann, A.	271 (2001) 201
Schirmer, J., see Potts, A.W.	271 (2001) 337
Sedlmayr, E., see Chang, Ch.	271 (2001) 283
Shu, CF., see Sugliani, S.	271 (2001) 127
Song, X., see Bu, Y.	271 (2001) 229
Stark, R., see Bergmann, A. Stavrov, S.S., Optical absorption band III of deoxyheme proteins as a probe of their	271 (2001) 201
structure and dynamics	271 (2001) 145
Steinke, T., see Chang, Ch.	271 (2001) 283
Struniewicz, C., see Milet, A.	271 (2001) 267
Sugliani, S., M. Del Zoppo, G. Zerbi and CF. Shu, Chain flexibility and nonlinear	
optical properties in polyenes within a two-state (VB-CT) model	271 (2001) 127
Sukhov, A.V., see Caputo, R.	271 (2001) 323
Sülzle, D., see Chang, Ch.	271 (2001) 283
Suzuki, A., see Yoshizawa, K.	271 (2001) 41
Tabirian, N.V., see Caputo, R.	271 (2001) 323
Tachibana, M., see Kato, T.	271 (2001) 323
Taki, H., see Ogi, Y.	271 (2001) 31
Trofimov, A.B., see Potts, A.W.	271 (2001) 213
Troining, A.D., See Potts, A.W.	2/1 (2001) 33/

Trommsdorff, H.P., see Benderskii, V.A.	271 (2001) 165
Tsukiyama, K., see Ogi, Y.	271 (2001) 215
Umeton, C., see Caputo, R. Unamuno, I., J.A. Fernández, C. Landajo, A. Longarte and F. Castaño, Binding energy and structure of the ground, first electronic and ion states of p-methoxyphenethylamine(H ₂ O) ₁ isomers: a combined experimental and theoretical	271 (2001) 323
study	271 (2001) 55
Ushakov, R.F., see Caputo, R.	271 (2001) 323
Vetoshkin, E.V., see Benderskii, V.A.	271 (2001) 165
Vrábel, I., see Lukeš, V.	271 (2001) 1
Wang, C.H., see Woodford, J.N.	271 (2001) 137
Wild, U.P., see Renge, I.	271 (2001) 191
Wiseman, H.M. and L. Diósi, Erratum to "Complete parameterization, and invariance, of diffusive quantum trajectories for Markovian open systems" [Chem. Phys. 268 (2001) 91–104]	271 (2001) 227
Woodford, J.N., C.H. Wang and A.KY. Jen, Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores studied by hyper-Rayleigh scattering	271 (2001) 137
Xiahou, C., see Bu, Y.	271 (2001) 229
Yamabe, T., see Kato, T.	271 (2001) 31
Yoon, D.K. and Y.C. Bae, Phase behaviors of smectic-A liquid crystal/linear polymer	271 (2001) 192
systems Yoshizawa, K. and A. Suzuki, Configurational inversion of the tetrahedral molecules	271 (2001) 183
CH ₄ , SiH ₄ , and GeH ₄	271 (2001) 41
Yoshizawa, K., see Kato, T.	271 (2001) 31
Zerbi, G., see Sugliani, S.	271 (2001) 127
Zülicke, L., see Ritschel, T.	271 (2001) 155

Subject Index

Methods and constructs

Theoretical

Computational methods for electronic structure	
The use of parameter ratios to characterize the formal order of chemical bonds, D.B. Chesnut	271 (2001) 9
Ab initio and density functional theory calculation of the structure and vibrational properties of <i>n</i> -vertex <i>closo</i> -carboranes, $n = 5$, 6 and 7, A. Salam, M.S. Deleuze and	
JP. François	271 (2001) 17
The structural character of AlS ₂ species in quartet state: prediction at density functional theory and the correlated-wave function levels, Y. Bu, C. Xiahou and X. Song	271 (2001) 229
The vibrational spectrum of pyrrole (C ₄ H ₅ N) and furan (C ₄ H ₄ O) in the gas phase, A. Mellouki, J. Liévin and M. Herman	271 (2001) 239
-perturbative and many body approaches	
Ab initio study of the Li(2 S)- $H_2(X^1\Sigma_g^+)$ van der Waals complex, V. Lukeš, I. Vrábel, V. Laurinc and S. Biskupič	271 (2001) 1
Structure and properties of the weakly bound trimer (H ₂ O) ₂ HCl. Theoretical predictions and comparison with high-resolution rotational spectroscopy, A. Milet, C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska and L. Pszczółkowski	271 (2001) 267
-density functional theory	
The use of parameter ratios to characterize the formal order of chemical bonds, D.B. Chesnut	271 (2001) 9
Ab initio and density functional theory calculation of the structure and vibrational properties of <i>n</i> -vertex <i>closo</i> -carboranes, $n = 5$, 6 and 7, A. Salam, M.S. Deleuze and	
JP. François	271 (2001) 17
Vibronic interaction in a copper oxide cluster, T. Kato, M. Kondo, M. Tachibana, T. Yamabe and K. Yoshizawa	271 (2001) 31
Configurational inversion of the tetrahedral molecules CH ₄ , SiH ₄ , and GeH ₄ , K.	
Yoshizawa and A. Suzuki	271 (2001) 41

Binding energy and structure of the ground, first electronic and ion states of p -methoxyphenethylamine(H_2O) ₁ isomers: a combined experimental and theoretical study, I. Unamuno, J.A. Fernández, C. Landajo, A. Longarte and F. Castaño	271 (2001) 55
A density functional study of small (AlN) _x clusters: structures, energies, and frequencies, Ch. Chang, A.B.C. Patzer, E. Sedlmayr, T. Steinke and D. Sülzle	271 (2001) 283
Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR study, F. Ramondo, A. Pieretti, L. Gontrani and L. Bencivenni	271 (2001) 293
Algebraic approaches Study on multiphoton processes in intense laser fields using the quadratic anharmonic Lie algebraic hamiltonian of diatomic molecule, Y. Dai, D. Dai, and Sl. Ding	271 (2001) 71
Spin states and magnetic interactions Magnetic field effect on the H_2CS fluorescence from the first excited singlet state \tilde{A}^1A_2 , V.I. Makarov	271 (2001) 79
Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)	
On the photon vector potential, B.I. Makshantsev and V.B. Makshantsev On scattering croasses of the photons' ensemble, B.I. Makshantsev and V.B.	271 (2001) 97
Makshantsev Chain flexibility and nonlinear optical properties in polyenes within a two-state (VB-	271 (2001) 107
CT) model, S. Sugliani, M. Del Zoppo, G. Zerbi and CF. Shu Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores	271 (2001) 127
studied by hyper-Rayleigh scattering, J.N. Woodford, C.H. Wang and A.KY. Jen	271 (2001) 137
Radiative (incl. relativistic) effects on molecules and molecular processes	271 (2001) 97
On the photon vector potential, B.I. Makshantsev and V.B. Makshantsev On scattering croasses of the photons' ensemble, B.I. Makshantsev and V.B. Makshantsev Onticel absorption hand III of decaythems proteins as a probe of their structure and	271 (2001) 97
Optical absorption band III of deoxyheme proteins as a probe of their structure and dynamics, S.S. Stavrov	271 (2001) 145
Scattering of waves and particles	
On the photon vector potential, B.I. Makshantsev and V.B. Makshantsev On scattering croasses of the photons' ensemble, B.I. Makshantsev and V.B.	271 (2001) 97
Makshantsev	271 (2001) 107
Collisional and reactive molecular dynamics with non-frictional forces Quasiclassical dynamics of proton scattering by $N_2(^1\Sigma_g^+)$ on an improved ab initio potential energy surface, T. Ritschel, S. Mahapatra and L. Zülicke	271 (2001) 155
Intramolecular dynamics Tunneling splittings in vibrational spectra of non-rigid molecules. X. Reaction path Hamiltonian as zero-order approximation, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff	271 (2001) 165
Molecular dynamics of many particle systems and condensed phases Possible reaction paths in the LiH ₂ ⁺ chemistry: a computational analysis of the interaction forces, E. Bodo, F.A. Gianturco, R. Martinazzo and M. Raimondi	271 (2001) 309

Mass transfer processes induced by inhomogeneous photo-polymerisation in a multicomponent medium, R. Caputo, A.V. Sukhov, N.V. Tabirian, C. Umeton and R.F. Ushakov	271 (2001) 323
Equilibrium statistical mechanics and thermodynamics Phase behaviors of smectic-A liquid crystal/linear polymer systems, D.K. Yoon and Y.C. Bae	271 (2001) 183
Experiment	
Molecular spectroscopy Binding energy and structure of the ground, first electronic and ion states of p- methoxyphenethylamine(H ₂ O) ₁ isomers: a combined experimental and theoretical study, I. Unamuno, J.A. Fernández, C. Landajo, A. Longarte and F. Castaño	271 (2001) 55
 -microwave Structure and properties of the weakly bound trimer (H₂O)₂HCl. Theoretical predictions and comparison with high-resolution rotational spectroscopy, A. Milet, C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska and L. Pszczółkowski 	271 (2001) 267
-infrared Chain flexibility and nonlinear optical properties in polyenes within a two-state (VB-CT) model, S. Sugliani, M. Del Zoppo, G. Zerbi and CF. Shu Optical absorption band III of deoxyheme proteins as a probe of their structure and	271 (2001) 127
dynamics, S.S. Stavrov The vibrational spectrum of pyrrole (C ₄ H ₅ N) and furan (C ₄ H ₄ O) in the gas phase, A.	271 (2001) 145
Mellouki, J. Liévin and M. Herman Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR	271 (2001) 239
study, F. Ramondo, A. Pieretti, L. Gontrani and L. Bencivenni	271 (2001) 293
-Raman Chain flexibility and nonlinear optical properties in polyenes within a two-state (VB-CT) model, S. Sugliani, M. Del Zoppo, G. Zerbi and CF. Shu	271 (2001) 127
-visible High resolution spectroscopy of a hydrocarbon with the triplet ground state, 2,2-dimethyl-2H-dibenzo[cd,k]fluoranthene and its closed-shell precursor in solid matrices, I. Renge, A. Müller and U.P. Wild	271 (2001) 191
 Photoelectron and Auger spectroscopy An experimental and theoretical study of the valence shell photoelectron spectra of 2-bromothiophene and 3-bromothiophene, A.W. Potts, A.B. Trofimov, J. Schirmer, D.M.P. Holland and L. Karlsson 	271 (2001) 337
Multiphoton ionization Photoionization detection of CF ₂ radicals resulting from the IR multiple-photon dissociation of CF ₂ HCl molecules in a molecular beam, V.N. Lokhman, D.D. Ogurok and E.A. Ryabov	271 (2001) 357

Laser induced fluorescence	
Magnetic field effect on the H_2CS fluorescence from the first excited singlet state \tilde{A}^1A_2 , V.I. Makarov	271 (2001) 79
Photophysical characterization of pyrromethene dyes in solid matrices of acrylic	2/1 (2001) /9
copolymers, A. Bergmann, W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat-	
Guerri, A. Costela, I. García-Moreno and R. Sastre	271 (2001) 201
Polarization properties of laser induced amplified spontaneous emission from NO	
Rydberg states, Y. Ogi, A. Sakoda, H. Mutoh, H. Taki and K. Tsukiyama	271 (2001) 215
Ultrafast measurements	
Photophysical characterization of pyrromethene dyes in solid matrices of acrylic	
copolymers, A. Bergmann, W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat-	
Guerri, A. Costela, I. García-Moreno and R. Sastre	271 (2001) 201
Nonlinear optics and spectroscopy Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores	
studied by hyper-Rayleigh scattering, J.N. Woodford, C.H. Wang and A.KY. Jen	271 (2001) 137
Polarization properties of laser induced amplified spontaneous emission from NO	271 (2001) 137
Rydberg states, Y. Ogi, A. Sakoda, H. Mutoh, H. Taki and K. Tsukiyama	271 (2001) 215
Synchrotron spectroscopies An experimental and theoretical study of the valence shell photoelectron spectra of 2-	
bromothiophene and 3-bromothiophene, A.W. Potts, A.B. Trofimov, J. Schirmer,	
D.M.P. Holland and L. Karlsson	271 (2001) 337
Multiple resonance spectroscopy	
Polarization properties of laser induced amplified spontaneous emission from NO	271 (2001) 215
Rydberg states, Y. Ogi, A. Sakoda, H. Mutoh, H. Taki and K. Tsukiyama	271 (2001) 215
Measurement of macroscopic variables	
Phase behaviors of smectic-A liquid crystal/linear polymer systems, D.K. Yoon and	
Y.C. Bae	271 (2001) 183
Mass transfer processes induced by inhomogeneous photo-polymerisation in a	
multicomponent medium, R. Caputo, A.V. Sukhov, N.V. Tabirian, C. Umeton and R.F. Ushakov	271 (2001) 323
and R.I. Oshakov	2/1 (2001) 323

Objects

Bulk systems

	_			
•	٦.	7.5	10	-
•	T	7.1	ν	N

Magnetic field effect on the H_2CS fluorescence from the first excited singlet state \tilde{A}^1A_2 ,	
V.I. Makarov	271 (2001) 79
Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR	
study, F. Ramondo, A. Pieretti, L. Gontrani and L. Bencivenni	271 (2001) 293

Possible reaction paths in the LiH ₂ ⁺ chemistry: a computational analysis of the interaction forces, E. Bodo, F.A. Gianturco, R. Martinazzo and M. Raimondi	271 (2001) 309
Supersonic beams Binding energy and structure of the ground, first electronic and ion states of p- methoxyphenethylamine(H ₂ O) ₁ isomers: a combined experimental and theoretical study, I. Unamuno, J.A. Fernández, C. Landajo, A. Longarte and F. Castaño Photoionization detection of CF ₂ radicals resulting from the IR multiple-photon	271 (2001) 55
dissociation of CF ₂ HCl molecules in a molecular beam, V.N. Lokhman, D.D. Ogurok and E.A. Ryabov	271 (2001) 357
Liquid mixtures and solutions Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores studied by hyper-Rayleigh scattering, J.N. Woodford, C.H. Wang and A.KY. Jen	271 (2001) 137
Glasses High resolution spectroscopy of a hydrocarbon with the triplet ground state, 2,2-dimethyl-2H-dibenzo[cd,k]fluoranthene and its closed-shell precursor in solid matrices, I. Renge, A. Müller and U.P. Wild	271 (2001) 191
Complex fluids	
-liquid crystals Phase behaviors of smectic-A liquid crystal/linear polymer systems, D.K. Yoon and Y.C. Bae	271 (2001) 183
Mass transfer processes induced by inhomogeneous photo-polymerisation in a multicomponent medium, R. Caputo, A.V. Sukhov, N.V. Tabirian, C. Umeton and R.F. Ushakov	271 (2001) 323
Semiconductors	
Vibronic interaction in a copper oxide cluster, T. Kato, M. Kondo, M. Tachibana, T. Yamabe and K. Yoshizawa	271 (2001) 31
Microscopic and mesoscopic systems	
Single atoms, molecules and assemblies (incl. biological) The use of parameter ratios to characterize the formal order of chemical bonds, D.B. Chesnut	271 (2001) 9
Study on multiphoton processes in intense laser fields using the quadratic anharmonic Lie algebraic hamiltonian of diatomic molecule, Y. Dai, D. Dai and Sl. Ding	271 (2001) 71
Molecules (neutral and ionic) Quasiclassical dynamics of proton scattering by $N_2(^1\Sigma_g^+)$ on an improved ab initio potential energy surface, T. Ritschel, S. Mahapatra and L. Zülicke	271 (2001) 155
-diatomic Polarization properties of laser induced amplified spontaneous emission from NO Rydberg states, Y. Ogi, A. Sakoda, H. Mutoh, H. Taki and K. Tsukiyama	271 (2001) 215

Possible reaction paths in the LiH ₂ ⁺ chemistry: a computational analysis of the interaction forces, E. Bodo, F.A. Gianturco, R. Martinazzo and M. Raimondi	271 (2001) 309
-small polyatomics Configurational inversion of the tetrahedral molecules CH ₄ , SiH ₄ , and GeH ₄ , K. Yoshizawa and A. Suzuki Magnetic field effect on the H ₂ CS fluorescence from the first excited singlet state à ¹ A ₂ ,	271 (2001) 41
V.I. Makarov Tunneling splittings in vibrational spectra of non-rigid molecules. X. Reaction path Hamiltonian as zero-order approximation, V.A. Benderskii, E.V. Vetoshkin and	271 (2001) 79
H.P. Trommsdorff The structural character of AlS ₂ species in quartet state: prediction at density functional	271 (2001) 165
theory and the correlated-wave function levels, Y. Bu, C. Xiahou and X. Song Photoionization detection of CF ₂ radicals resulting from the IR multiple-photon dissociation of CF ₂ HCl molecules in a molecular beam, V.N. Lokhman, D.D.	271 (2001) 229
Ogurok and E.A. Ryabov	271 (2001) 357
-aromatics	
Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores studied by hyper-Rayleigh scattering, J.N. Woodford, C.H. Wang and A.KY. Jen High resolution spectroscopy of a hydrocarbon with the triplet ground state, 2,2-dimethyl-2 <i>H</i> -dibenzo[<i>cd</i> , <i>k</i>]fluoranthene and its closed-shell precursor in solid	271 (2001) 137
matrices, I. Renge, A. Müller and U.P. Wild Photophysical characterization of pyrromethene dyes in solid matrices of acrylic copolymers, A. Bergmann, W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat-	271 (2001) 191
Guerri, A. Costela, I. García-Moreno and R. Sastre The vibrational spectrum of pyrrole (C_4H_5N) and furan (C_4H_4O) in the gas phase, A.	271 (2001) 201
Mellouki, J. Liévin and M. Herman An experimental and theoretical study of the valence shell photoelectron spectra of 2-bromothiophene and 3-bromothiophene, A.W. Potts, A.B. Trofimov, J. Schirmer,	271 (2001) 239
D.M.P. Holland and L. Karlsson	271 (2001) 337
-other large	
Chain flexibility and nonlinear optical properties in polyenes within a two-state (VB-CT) model, S. Sugliani, M. Del Zoppo, G. Zerbi and CF. Shu	271 (2001) 127
Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR study, F. Ramondo, A. Pieretti, L. Gontrani and L. Bencivenni	271 (2001) 293
-polymeric and biological	
Phase behaviors of smectic-A liquid crystal/linear polymer systems, D.K. Yoon and Y.C. Bae	271 (2001) 183
Molecular aggregates Ab initio and density functional theory calculation of the structure and vibrational	
properties of <i>n</i> -vertex <i>closo</i> -carboranes, $n = 5$, 6 and 7, A. Salam, M.S. Deleuze and JP. François	271 (2001) 17

271 (2001) 41

Binding energy and structure of the ground, first electronic and ion states of <i>p</i> -methoxyphenethylamine(H ₂ O) ₁ isomers: a combined experimental and theoretical study, I. Unamuno, J.A. Fernández, C. Landajo, A. Longarte and F. Castaño A density functional study of small (AlN) _x clusters: structures, energies, and frequencies, Ch. Chang, A.B.C. Patzer, E. Sedlmayr, T. Steinke and D. Sülzle	271 (2001) 55 271 (2001) 283
-dimers Hydrogen bonding in barbituric and 2-thiobarbituric acids: a theoretical and FT-IR study, F. Ramondo, A. Pieretti, L. Gontrani and L. Bencivenni	271 (2001) 293
-van der Waals molecules Ab initio study of the Li(2S)-H ₂ (X1Σ _g +) van der Waals complex, V. Lukeš, I. Vrábel, V. Laurinc and S. Biskupič	271 (2001) 1
 -clusters Ab initio and density functional theory calculation of the structure and vibrational properties of n-vertex closo-carboranes, n = 5, 6 and 7, A. Salam, M.S. Deleuze and JP. François Structure and properties of the weakly bound trimer (H₂O)₂HCl. Theoretical predictions and comparison with high-resolution rotational spectroscopy, A. Milet, 	271 (2001) 17
C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska and L. Pszczółkowski A density functional study of small (AlN) _x clusters: structures, energies, and frequencies, Ch. Chang, A.B.C. Patzer, E. Sedlmayr, T. Steinke and D. Sülzle	271 (2001) 267 271 (2001) 283
Free radicals (incl. hydronium and muonium) Photoionization detection of CF ₂ radicals resulting from the IR multiple-photon dissociation of CF ₂ HCl molecules in a molecular beam, V.N. Lokhman, D.D. Ogurok and E.A. Ryabov	271 (2001) 357
Proteins Optical absorption band III of deoxyheme proteins as a probe of their structure and dynamics, S.S. Stavrov	271 (2001) 145
Phenomena	
 Molecular structure Ab initio study of the Li(²S)-H₂(X¹Σ_g⁺) van der Waals complex, V. Lukeš, I. Vrábel, V. Laurinc and S. Biskupič The use of parameter ratios to characterize the formal order of chemical bonds, D.B. Chesnut Ab initio and density functional theory calculation of the structure and vibrational properties of n-vertex closo-carboranes, n = 5, 6 and 7, A. Salam, M.S. Deleuze and JP. François 	271 (2001) 1 271 (2001) 9 271 (2001) 17
Configurational inversion of the tetrahedral molecules CH ₄ , SiH ₄ , and GeH ₄ , K.	271 (2001) 41

Yoshizawa and A. Suzuki

Binding energy and structure of the ground, first electronic and ion states of p-methoxyphenethylamine(H ₂ O) ₁ isomers: a combined experimental and theoretical study, I. Unamuno, J.A. Fernández, C. Landajo, A. Longarte and F. Castaño Magnetic field effect on the H ₂ CS fluorescence from the first excited singlet state ùA ₂ , V.I. Makarov The structural character of AlS ₂ species in quartet state: prediction at density functional theory and the correlated-wave function levels, Y. Bu, C. Xiahou and X. Song The vibrational spectrum of pyrrole (C ₄ H ₅ N) and furan (C ₄ H ₄ O) in the gas phase, A. Mellouki, J. Liévin and M. Herman A density functional study of small (AlN) _x clusters: structures, energies, and frequencies, Ch. Chang, A.B.C. Patzer, E. Sedlmayr, T. Steinke and D. Sülzle	271 (2001) 55 271 (2001) 79 271 (2001) 229 271 (2001) 239 271 (2001) 283
Vibrations and rotations of molecules The vibrational spectrum of pyrrole (C ₄ H ₅ N) and furan (C ₄ H ₄ O) in the gas phase, A. Mellouki, J. Liévin and M. Herman Structure and properties of the weakly bound trimer (H ₂ O) ₂ HCl. Theoretical predictions and comparison with high-resolution rotational spectroscopy, A. Milet, C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska and L Pszczółkowski	271 (2001) 239 271 (2001) 267
Electronic structure and states The use of parameter ratios to characterize the formal order of chemical bonds, D.B. Chesnut The structural character of AlS ₂ species in quartet state: prediction at density functional theory and the correlated-wave function levels, Y. Bu, C. Xiahou and X. Song An experimental and theoretical study of the valence shell photoelectron spectra of 2-bromothiophene and 3-bromothiophene, A.W. Potts, A.B. Trofimov, J. Schirmer, D.M.P. Holland and L. Karlsson	271 (2001) 9 271 (2001) 229 271 (2001) 337
Electric and magnetic properties Vibronic interaction in a copper oxide cluster, T. Kato, M. Kondo, M. Tachibana, T. Yamabe and K. Yoshizawa	271 (2001) 31
 Molecular interactions Ab initio study of the Li(2S)-H₂(X¹Σ_g⁺) van der Waals complex, V. Lukeš, I. Vrábel, V. Laurinc and S. Biskupič Quasiclassical dynamics of proton scattering by N₂(¹Σ_g⁺) on an improved ab initio potential energy surface, T. Ritschel, S. Mahapatra and L. Zülicke High resolution spectroscopy of a hydrocarbon with the triplet ground state, 2,2-dimethyl-2H-dibenzo[cd,k]fluoranthene and its closed-shell precursor in solid matrices, I. Renge, A. Müller and U.P. Wild 	271 (2001) 1 271 (2001) 155 271 (2001) 191
Structure and properties of the weakly bound trimer (H ₂ O) ₂ HCl. Theoretical predictions and comparison with high-resolution rotational spectroscopy, A. Milet, C. Struniewicz, R. Moszynski, J. Sadlej, Z. Kisiel, E. Białkowska-Jaworska and L. Pszczółkowski	271 (2001) 267
Spectral bandshapes and intensities On the photon vector potential, B.I. Makshantsev and V.B. Makshantsev	271 (2001) 97

On scattering croasses of the photons' ensemble, B.I. Makshantsev and V.B. Makshantsev Optical absorption band III of deoxyheme proteins as a probe of their structure and dynamics, S.S. Stavrov	271 (2001) 107 271 (2001) 145
 Coupling of electronic and nuclear motion Vibronic interaction in a copper oxide cluster, T. Kato, M. Kondo, M. Tachibana, T. Yamabe and K. Yoshizawa Possible reaction paths in the LiH₂⁺ chemistry: a computational analysis of the interaction forces, E. Bodo, F.A. Gianturco, R. Martinazzo and M. Raimondi 	271 (2001) 31 271 (2001) 309
Energy transfer processes Quasiclassical dynamics of proton scattering by $N_2(^1\Sigma_g^+)$ on an improved ab initio potential energy surface, T. Ritschel, S. Mahapatra and L. Zülicke	271 (2001) 155
 Molecular photophysical processes Photophysical characterization of pyrromethene dyes in solid matrices of acrylic copolymers, A. Bergmann, W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat-Guerri, A. Costela, I. García-Moreno and R. Sastre An experimental and theoretical study of the valence shell photoelectron spectra of 2-bromothiophene and 3-bromothiophene, A.W. Potts, A.B. Trofimov, J. Schirmer, D.M.P. Holland and L. Karlsson 	271 (2001) 201 271 (2001) 337
Luminescence spectra, yields and lifetimes High resolution spectroscopy of a hydrocarbon with the triplet ground state, 2,2- dimethyl-2H-dibenzo[cd,k]fluoranthene and its closed-shell precursor in solid matrices, I. Renge, A. Müller and U.P. Wild Photophysical characterization of pyrromethene dyes in solid matrices of acrylic copolymers, A. Bergmann, W. Holzer, R. Stark, H. Gratz, A. Penzkofer, F. Amat- Guerri, A. Costela, I. García-Moreno and R. Sastre	271 (2001) 191 271 (2001) 201
Nonlinear responses (incl. optical) Chain flexibility and nonlinear optical properties in polyenes within a two-state (VB-CT) model, S. Sugliani, M. Del Zoppo, G. Zerbi and CF. Shu Dispersion of the first molecular hyperpolarizability of charge-transfer chromophores studied by hyper-Rayleigh scattering, J.N. Woodford, C.H. Wang and A.KY. Jen	271 (2001) 127 271 (2001) 137
 Multiphoton phenomena Study on multiphoton processes in intense laser fields using the quadratic anharmonic Lie algebraic hamiltonian of diatomic molecule, Y. Dai, D. Dai and Sl. Ding Photoionization detection of CF₂ radicals resulting from the IR multiple-photon dissociation of CF₂HCl molecules in a molecular beam, V.N. Lokhman, D.D. Ogurok and E.A. Ryabov 	271 (2001) 71 271 (2001) 357
Tunneling Tunneling splittings in vibrational spectra of non-rigid molecules. X. Reaction path Hamiltonian as zero-order approximation, V.A. Benderskii, E.V. Vetoshkin and H.P. Trommsdorff	271 (2001) 165

Thermodynamic and transport properties

Phase behaviors of smectic-A liquid crystal/linear polymer systems, D.K. Yoon and Y.C. Bae

271 (2001) 183

Critical behavior and phase transitions

Mass transfer processes induced by inhomogeneous photo-polymerisation in a multicomponent medium, R. Caputo, A.V. Sukhov, N.V. Tabirian, C. Umeton and R.F. Ushakov

271 (2001) 323

